

Item Number	Dia.	CL	Shank	OAL	Brazed	USD/each
A-1.56338-CR	1.5	6	3	38		7.25
A-211338-CR	2	11	3	38		7.25
A-2.511338-CR	2.5	11	3	38		7.25
A-314338-CR	3	14	3	38		7.25
A-414650-CR	4	14	6	50		12.25
A-618650-CR	6	18	6	50		13.10
A-820665-CR	8	20	6	65	V	17.80
A-1020665-CR	10	20	6	65	V	22.80
A-1225670-CR	12	25	6	70	V	30.00
A-1625670-CR	16	25	6	70	V	41.55
A-2025670-CR	20	25	6	70	V	56.90
A-2525670-CR	25	25	6	70	V	78.30
A-1.56338-CM	1.5	6	3	38		7.25
A-211338-CM	2	11	3	38		7.25
A-314338-CM	3	14	3	38		7.25
A-414650-CM	4	14	6	50		12.25
A-618650-CM	6	18	6	50		13.10
A-820665-CM	8	20	6	65	V	17.80
A-1020665-CM	10	20	6	65	V	22.80
A-1225670-CM	12	25	6	70	V	30.00
A-1625670-CM	16	25	6	70	V	41.55
A-211338-CF	2	11	3	38		7.25
A-314338-CF	3	14	3	38		7.25
A-414650-CF	4	14	6	50		12.25
A-618650-CF	6	18	6	50		13.10
A-820665-CF	8	20	6	65	V	17.80
A-1020665-CF	10	20	6	65	V	22.80
A-1225670-CF	12	25	6	70	V	30.00
A-314338-SR	3	14	3	38		7.25
A-618650-SR	6	18	6	50		13.10
A-820665-SR	8	20	6	65	V	17.80
A-1020665-SR	10	20	6	65	V	22.80

A-1225670-SR	12	25	6	70	V	30.00
A-1625670-SR	16	25	6	70	V	41.55
A-2025670-SR	20	25	6	70	V	56.90
A-14338-SM	1	4	3	38		7.25
A-1.56338-SM	1.5	6	3	38		7.25
A-211338-SM	2	11	3	38		7.25
A-314338-SM	3	14	3	38		7.25
A-618650-SM	6	18	6	50		13.10
A-820665-SM	8	20	6	65	V	17.80
A-1020665-SM	10	20	6	65	V	22.80
A-1225670-SM	12	25	6	70	V	30.00
A-1.56338-SF	1.5	6	3	38		7.25
A-211338-SF	2	11	3	38		7.25
A-314338-SF	3	14	3	38		7.25
A-414650-SF	4	14	6	50		12.25
A-618650-SF	6	18	6	50		13.10
A-820665-SF	8	20	6	65	V	17.80
A-1020665-SF	10	20	6	65	V	22.80
A-1225670-SF	12	25	6	70	V	30.00
A-1625670-SF	16	25	6	70	V	41.55

Item Number	Dia.	CL	Shank	OAL	Brazed	USD/each
B-1.56338-CR	1.5	6	3	38		8.10
B-211338-CR	2	11	3	38		8.10
B-2.511338-CR	2.5	11	3	38		8.10
B-314338-CR	3	14	3	38		8.10
B-414650-CR	4	14	6	50		13.80
B-618650-CR	6	18	6	50		13.80
B-820665-CR	8	20	6	65	V	19.35
B-1020665-CR	10	20	6	65	V	24.50
B-1225670-CR	12	25	6	70	V	31.75
B-1625670-CR	16	25	6	70	V	43.10
B-2025670-CR	20	25	6	70	V	58.10
B-2525670-CR	25	25	6	70	V	79.85
B-1.56338-CM	1.5	6	3	38		8.10
B-211338-CM	2	11	3	38		8.10
B-314338-CM	3	14	3	38		8.10
B-414650-CM	4	14	6	50		13.80
B-618650-CM	6	18	6	50		13.80
B-820665-CM	8	20	6	65	V	19.35
B-1020665-CM	10	20	6	65	V	24.50
B-1225670-CM	12	25	6	70	V	31.75
B-1625670-CM	16	25	6	70	V	43.10
B-618650-CF	6	18	6	50		13.80
B-820665-CF	8	20	6	65	V	19.35
B-1020665-CF	10	20	6	65	V	24.50
B-1225670-CF	12	25	6	70	V	31.75
B-314338-SR	3	14	3	38		8.10
B-618650-SR	6	18	6	50		13.80
B-820665-SR	8	20	6	65	V	19.35
B-1020665-SR	10	20	6	65	V	24.50
B-1225670-SR	12	25	6	70	V	31.75
B-1625670-SR	16	25	6	70	V	43.10
B-2025670-SR	20	25	6	70	V	58.10

B-2525670-SR	25	25	6	70	V	79.85
B-314338-SM	3	14	3	38		8.10
B-618650-SM	6	18	6	50		13.80
B-820665-SM	8	20	6	65	V	19.35
B-1020665-SM	10	20	6	65	V	24.50
B-1225670-SM	12	25	6	70	V	31.75
B-1.56338-SF	1.5	6	3	38		8.10
B-211338-SF	2	11	3	38		8.10
B-314338-SF	3	14	3	38		8.10
B-412650-SF	4	12	6	50		13.80
B-618650-SF	6	18	6	50		13.80
B-820665-SF	8	20	6	65	V	19.35
B-1020665-SF	10	20	6	65	V	24.50
B-1225670-SF	12	25	6	70	V	31.75
B-1625670-SF	16	25	6	70	V	43.10

Item Number	Dia.	CL	Shank	OAL	Brazed	USD/each
C-211338-CR	2	11	3	38		8.10
C-2.511338-CR	2.5	11	3	38		8.10
C-314338-CR	3	14	3	38		8.10
C-415660-CR	4	15/30	6	60		15.00
C-618650-CR	6	18	6	50		13.80
C-820665-CR	8	20	6	65	V	19.35
C-1020665-CR	10	20	6	65	V	24.50
C-1225670-CR	12	25	6	70	V	31.75
C-1625670-CR	16	25	6	70	V	43.10
C-2025670-CR	20	25	6	70	V	58.10
C-211338-CM	2	11	3	38		8.10
C-314338-CM	3	14	3	38		8.10
C-618650-CM	6	18	6	50		13.80
C-820665-CM	8	20	6	65	V	19.35
C-1020665-CM	10	20	6	65	V	24.50
C-1225670-CM	12	25	6	70	V	31.75
C-1625670-CM	16	25	6	70	V	43.10
C-211338-CF	2	11	3	38		8.10
C-314338-CF	3	14	3	38		8.10
C-618650-CF	6	18	6	50		13.80
C-820665-CF	8	20	6	65	V	19.35
C-1020665-CF	10	20	6	65	V	24.50
C-1225670-CF	12	25	6	70	V	31.75
C-211338-SR	2	11	3	38		8.10
C-314338-SR	3	14	3	38		8.10
C-618650-SR	6	18	6	50		13.80
C-820665-SR	8	20	6	65	V	19.35
C-1020665-SR	10	20	6	65	V	24.50
C-1225670-SR	12	25	6	70	V	31.75
C-1625670-SR	16	25	6	70	V	43.10
C-2025670-SR	20	25	6	70	V	58.10
C-14338-SM	1	4	3	38		8.10
C-1.56338-SM	1.5	6	3	38		8.10

C-211338-SM	2	11	3	38		8.10
C-2.511338-SM	2.5	11	3	38		8.10
C-314338-SM	3	14	3	38		8.10
C-618650-SM	6	18	6	50		13.80
C-820665-SM	8	20	6	65	V	19.35
C-1020665-SM	10	20	6	65	V	24.50
C-1225670-SM	12	25	6	70	V	31.75
C-211338-SF	2	11	3	38		8.10
C-314338-SF	3	14	3	38		8.10
C-416650-SF	4	16	6	50		13.80
C-618650-SF	6	18	6	50		13.80
C-820665-SF	8	20	6	65	V	19.35
C-1020665-SF	10	20	6	65	V	24.50
C-1225670-SF	12	25	6	70	V	31.75
C-1625670-SF	16	25	6	70	V	43.10

Item Number	Dia.	CL	Shank	OAL	Brazed	USD/each
D-21.8338-CR	2	1.8	3	38		7.25
D-2.52.3338-CR	2.5	2.3	3	38		7.25
D-32.5338-CR	3	2.5	3	38		7.25
D-43.4650-CR	4	3.4	6	50		11.40
D-64.7650-CR	6	4.7	6	50		12.25
D-86665-CR	8	6	6	65	V	13.80
D-108665-CR	10	8	6	65	V	15.90
D-1211670-CR	12	11	6	70	V	20.20
D-1614670-CR	16	14	6	70	V	29.00
D-2016.5670-CR	20	16.5	6	70	V	42.45
D-2522670-CR	25	22	6	70	V	75.20
D-21.8338-CM	2	1.8	3	38		7.25
D-32.5338-CM	3	2.5	3	38		7.25
D-43.4650-CM	4	3.4	6	50		11.40
D-64.7650-CM	6	4.7	6	50		12.25
D-86665-CM	8	6	6	65	V	13.80
D-108665-CM	10	8	6	65	V	15.90
D-1211670-CM	12	11	6	70	V	20.20
D-1614670-CM	16	14	6	70	V	29.00
D-21.8338-CF	2	1.8	3	38		7.25
D-32.5338-CF	3	2.5	3	38		7.25
D-43.4650-CF	4	3.4	6	50		11.40
D-64.7650-CF	6	4.7	6	50		12.25
D-86665-CF	8	6	6	65	V	13.80
D-108665-CF	10	8	6	65	V	15.90
D-1211670-CF	12	11	6	70	V	20.20
D-21.8338-SR	2	1.8	3	38		7.25
D-32.5338-SR	3	2.5	3	38		7.25
D-43.4650-SR	4	3.4	6	50		11.40
D-64.7650-SR	6	4.7	6	50		12.25
D-86665-SR	8	6	6	65	V	13.80
D-108665-SR	10	8	6	65	V	15.90
D-1211670-SR	12	11	6	70	V	20.20
D-1614670-SR	16	14	6	70	V	29.00
D-2016.5670-SR	20	16.5	6	70	V	42.45
D-2522670-SR	25	22	6	70	V	75.20
D-11338-SM	1	1	3	38		7.25
D-1.51338-SM	1.5	1	3	38		7.25
D-22338-SM	2	2	3	38		7.25
D-32.5338-SM	3	2.5	3	38		7.25
D-43.4650-SM	4	3.4	6	50		11.40
D-54650-SM	5	4	6	50		12.25
D-64.7650-SM	6	4.7	6	50		12.25
D-86665-SM	8	6	6	65	V	13.80

D-108665-SM	10	8	6	65	V	15.90
D-1211670-SM	12	11	6	70	V	20.20
D-21.8338-SF	2	1.8	3	38		7.25
D-32.5338-SF	3	2.5	3	38		7.25
D-43.4650-SF	4	3.4	6	50		11.40
D-64.7650-SF	6	4.7	6	50		12.25
D-86665-SF	8	6	6	65	V	13.80
D-108665-SF	10	8	6	65	V	15.90
D-1211670-SF	12	11	6	70	V	20.20
D-1614670-SF	16	14	6	70	V	29.00



Item Number	Dia.	CL	Shank	OAL	Brazed	USD/each
E-36338-CR	3	6	3	38		8.65
E-610650-CR	6	10	6	50		14.50
E-815665-CR	8	15	6	65	V	18.10
E-1016665-CR	10	16	6	65	V	22.80
E-1222670-CR	12	22	6	70	V	30.00
E-1625670-CR	16	25	6	70	V	43.10
E-2025670-CR	20	25	6	70	V	57.25
E-36338-CM	3	6	3	38		8.65
E-610650-CM	6	10	6	50		14.50
E-815665-CM	8	15	6	65	V	18.10
E-1016665-CM	10	16	6	65	V	22.80
E-1222670-CM	12	22	6	70	V	30.00
E-1625670-CM	16	25	6	70	V	43.10
E-36338-SR	3	6	3	38		8.65
E-610650-SR	6	10	6	50		14.50
E-815665-SR	8	15	6	65	V	18.10
E-1016665-SR	10	16	6	65	V	22.80
E-1222670-SR	12	22	6	70	V	30.00
E-1625670-SR	16	25	6	70	V	43.10
E-2025670-SR	20	25	6	70	V	57.25
E-1.54338-SM	1.5	4	3	38		8.65
E-36338-SM	3	6	3	38		8.65
E-610650-SM	6	10	6	50		14.50
E-815665-SM	8	15	6	65	V	18.10
E-1016665-SM	10	16	6	65	V	22.80
E-1222670-SM	12	22	6	70	V	30.00
E-36338-SF	3	6	3	38		8.65
E-610650-SF	6	10	6	50		14.50
E-815665-SF	8	15	6	65	V	18.10
E-1016665-SF	10	16	6	65	V	22.80
E-1222670-SF	12	22	6	70	V	30.00
E-1625670-SF	16	25	6	70	V	43.10

Item Number	Dia.	CL	Shank	OAL	Brazed	USD/each
F-314338-CR	3	14	3	38		8.65
F-618650-CR	6	18	6	50		14.50
F-820665-CR	8	20	6	65	V	19.35
F-1020665-CR	10	20	6	65	V	24.50
F-1225670-CR	12	25	6	70	V	31.75
F-1625670-CR	16	25	6	70	V	43.10
F-2025670-CR	20	25	6	70	V	58.10
F-314338-CM	3	14	3	38		8.65
F-618650-CM	6	18	6	50		14.50
F-820665-CM	8	20	6	65	V	19.35
F-1020665-CM	10	20	6	65	V	24.50
F-1225670-CM	12	25	6	70	V	31.75
F-1625670-CM	16	25	6	70	V	43.10
F-314338-CF	3	14	3	38		8.65
F-618650-CF	6	18	6	50		14.50
F-820665-CF	8	20	6	65	V	19.35
F-1020665-CF	10	20	6	65	V	24.50
F-1225670-CF	12	25	6	70	V	31.75
F-314338-SR	3	14	3	38		8.65
F-618650-SR	6	18	6	50		14.50
F-820665-SR	8	20	6	65	V	19.35
F-1020665-SR	10	20	6	65	V	24.50
F-1225670-SR	12	25	6	70	V	31.75
F-1625670-SR	16	25	6	70	V	43.10
F-2025670-SR	20	25	6	70	V	58.10
F-1.54338-SM	1.5	4	3	38		8.65
F-314338-SM	3	14	3	38		8.65
F-618650-SM	6	18	6	50		14.50
F-820665-SM	8	20	6	65	V	19.35
F-1020665-SM	10	20	6	65	V	24.50
F-1225670-SM	12	25	6	70	V	31.75
F-314338-SF	3	14	3	38		8.65
F-618650-SF	6	18	6	50		14.50
F-820665-SF	8	20	6	65	V	19.35
F-1020665-SF	10	20	6	65	V	24.50
F-1225670-SF	12	25	6	70	V	31.75
F-1625670-SF	16	25	6	70	V	43.10

Item Number	Dia.	CL	Shank	OAL	Brazed	USD/each
G-314338-CR	3	14	3	38		8.65
G-618650-CR	6	18	6	50		14.50
G-820665-CR	8	20	6	65	V	19.35
G-1020665-CR	10	20	6	65	V	24.50
G-1225670-CR	12	25	6	70	V	33.30
G-1625670-CR	16	25	6	70	V	43.10
G-2025670-CR	20	25	6	70	V	58.10
G-314338-CM	3	14	3	38		8.65
G-618650-CM	6	18	6	50		14.50
G-820665-CM	8	20	6	65	V	19.35
G-1020665-CM	10	20	6	65	V	24.50
G-1225670-CM	12	25	6	70	V	33.30
G-1625670-CM	16	25	6	70	V	43.10
G-314338-CF	3	14	3	38		8.65
G-618650-CF	6	18	6	50		14.50
G-820665-CF	8	20	6	65	V	19.35
G-1020665-CF	10	20	6	65	V	24.50
G-1225670-CF	12	25	6	70	V	33.30
G-314338-SR	3	14	3	38		8.65
G-618650-SR	6	18	6	50		14.50
G-820665-SR	8	20	6	65	V	19.35
G-1020665-SR	10	20	6	65	V	24.50
G-1225670-SR	12	25	6	70	V	33.30
G-1625670-SR	16	25	6	70	V	43.10
G-1.54338-SM	1.5	4	3	38		8.65
G-314338-SM	3	14	3	38		8.65
G-618650-SM	6	18	6	50		14.50
G-820665-SM	8	20	6	65	V	19.35
G-1020665-SM	10	20	6	65	V	24.50
G-1225670-SM	12	25	6	70	V	33.30
G-314338-SF	3	14	3	38		8.65
G-618650-SF	6	18	6	50		14.50
G-820665-SF	8	20	6	65	V	19.35
G-1020665-SF	10	20	6	65	V	24.50
G-1225670-SF	12	25	6	70	V	33.30
G-1625670-SF	16	25	6	70	V	43.10

Item Number	Dia.	CL	Shank	OAL	Brazed	USD/each
L-314338-8-CR	3	14	3	38		8.65
L-618650-14-CR	6	18	6	50		14.50
L-825670-14-CR	8	25	6	70	V	21.40
L-1020665-14-CR	10	20	6	65	V	24.50
L-1232677-14-CR	12	32	6	77	V	36.90
L-1633678-14-CR	16	33	6	78	V	51.90
L-2041686-14-CR	20	41	6	86	V	85.90
L-314338-8-CM	3	14	3	38		8.65
L-618650-14-CM	6	18	6	50		14.50
L-825670-14-CM	8	25	6	70	V	21.40
L-1020665-14-CM	10	20	6	65	V	24.50
L-1232677-14-CM	12	32	6	77	V	36.90
L-1633678-14-CM	16	33	6	78	V	51.90
L-314338-8-SR	3	14	3	38		8.65
L-618650-14-SR	6	18	6	50		14.50
L-825670-14-SR	8	25	6	70	V	21.40
L-1020665-14-SR	10	20	6	65	V	24.50
L-1232677-14-SR	12	32	6	77	V	36.90
L-1633678-14-SR	16	33	6	78	V	51.90
L-314338-8-SM	3	14	3	38		8.65
L-618650-14-SM	6	18	6	50		14.50
L-825670-14-SM	8	25	6	70	V	21.40
L-1020665-14-SM	10	20	6	65	V	24.50
L-1232677-14-SM	12	32	6	77	V	36.90
L-314338-8-SF	3	14	3	38		8.65
L-618650-14-SF	6	18	6	50		14.50
L-825670-14-SF	8	25	6	70	V	21.40
L-1020665-14-SF	10	20	6	65	V	24.50
L-1232677-14-SF	12	32	6	77	V	36.90
L-1633678-14-SF	16	33	6	78	V	51.90

Item Number	Dia.	CL	Shank	OAL	Brazed	USD/each
M-315338-10-CR	3	15	3	38		8.65
M-618650-11-CR	6	18	6	50		15.35
M-818665-13-CR	8	18	6	65	V	18.00
M-1020665-28-CR	10	20	6	65	V	24.50
M-1225670-28-CR	12	25	6	70	V	31.75
M-1625670-33-CR	16	25	6	70	V	44.70
M-315338-10-CM	3	15	3	38		8.65
M-618650-14-CM	6	18	6	50		15.35
M-818665-13-CM	8	18	6	65	V	17.95
M-1020665-28-CM	10	20	6	65	V	24.50
M-1225670-28-CM	12	25	6	70	V	31.75
M-1625670-33-CM	16	25	6	70	V	44.70
M-315338-10-SR	3	15	3	38		8.65
M-618650-14-SR	6	18	6	50		15.35
M-1020665-14-SR	10	20	6	65	V	24.50
M-1225670-14-SR	12	25	6	70	V	31.75
M-1.54338-14-SM	1.5	4	3	38		8.65
M-315338-14-SM	3	15	3	38		8.65
M-618650-14-SM	6	18	6	50		15.35
M-1020665-28-SM	10	20	6	65	V	24.50
M-1225670-28-SM	12	25	6	70	V	31.75
M-315338-10-SF	3	15	3	38		8.65
M-618650-14-SF	6	18	6	50		15.35
M-818665-13-SF	8	18	6	65	V	17.95
M-1020665-28-SF	10	20	6	65	V	24.50
M-1225670-28-SF	12	25	6	70	V	31.75
M-1625670-33-SF	16	25	6	70	V	44.70

Item Number	Dia.	CL	Shank	OAL	Brazed	USD/each
H-36338-CR	3	6	3	38		8.65
H-614650-CR	6	14	6	50		17.25
H-820665-CR	8	20	6	65	V	19.35
H-1020665-CR	10	20	6	65	V	24.15
H-1232677-CR	12	32	6	77	V	36.90
H-1636681-CR	16	36	6	81	V	56.25
H-2041686-CR	20	41	6	86	V	85.90
H-36338-CM	3	6	3	38		8.65
H-614650-CM	6	14	6	50		17.25
H-820665-CM	8	20	6	65	V	19.35
H-1020665-CM	10	20	6	65	V	24.15
H-1232677-CM	12	32	6	77	V	36.90
H-1636681-CM	16	36	6	81	V	56.25
H-820665-SR	8	20	6	65	V	19.35
H-1020665-SR	10	20	6	65	V	24.15
H-1232677-SR	12	32	6	77	V	36.90
H-1636681-SR	16	36	6	81	V	56.21
H-36338-SM	3	6	3	38		8.65
H-820665-SM	8	20	6	65	V	19.35
H-1020665-SM	10	20	6	65	V	24.15
H-1232677-SM	12	32	6	77	V	36.90
H-36338-SF	3	6	3	38		8.65
H-614660-SF	6	14	6	60		17.25
H-820665-SF	8	20	6	65	V	19.35
H-1020665-SF	10	20	6	65	V	24.15
H-1232677-SF	12	32	6	77	V	36.90
H-1636681-SF	16	36	6	81	V	56.25

Item Number	Dia.	CL	Shank	OAL	Brazed	USD/each
N-35338-10-CR	3	5	3	38		7.25
N-68650-10-CR	6	8	6	50		13.80
N-1010665-10-CR	10	10	6	65	V	16.90
N-1213665-16-CR	12	13	6	65	V	20.35
N-1619665-16-CR	16	19	6	65	V	32.45
N-2016665-28-CR	20	16	6	65	V	42.10
N-68650-10-CM	6	8	6	50		13.80
N-1010665-13-CM	10	10	6	65	V	16.90
N-1213665-30-CM	12	13	6	65	V	20.35
N-35338-10-SF	3	5	3	38		7.25
N-68650-10-SF	6	8	6	50		13.80
N-1010665-10-SF	10	10	6	65	V	16.90
N-1213665-16-SF	12	13	6	65	V	20.35

Item Number	Dia.	CL	Shank	OAL	Brazed	USD/each
O-314338-CR	3	14	3	38		7.25
O-618650-CR	6	18	6	50		13.10
O-820665-CR	8	20	6	65	V	17.80
O-1020665-CR	10	20	6	65	V	22.80
O-1225670-CR	12	25	6	70	V	30.00
O-1625670-CR	16	25	6	70	V	41.55



Item Number	Dia.	CL	Shank	OAL	Brazed	USD/each
J-33338-CR	3	3	3	38		7.25
J-66650-CR	6	6	6	50		13.80
J-1010665-CR	10	10	6	65	V	16.30
J-1213665-CR	12	13	6	65	V	20.70
J-1615665-CR	16	15	6	65	V	30.35
J-2017665-CR	20	17	6	65	V	43.80
J-2524.5670-CR	25	24.5	6	70	V	79.00
J-33338-SM	3	3	3	38		7.25
J-66650-SM	6	6	6	50		13.80
J-1010665-SM	10	10	6	65	V	16.30
J-1213665-SM	12	11	6	65	V	20.70

Item Number	Dia.	CL	Shank	OAL	Brazed	USD/each
K-31.5338-CR	3	1.5	3	38		7.25
K-63650-CR	6	3	6	50		13.80
K-108665-CR	10	8	6	65	V	15.20
K-1211665-CR	12	11	6	65	V	18.65
K-1611665-CR	16	11	6	65	V	24.15
K-2012665-CR	20	12	6	65	V	36.90
K-31.5338-SM	3	1.5	3	38		7.25
K-63650-SM	6	3	6	50		13.80
K-108665-SM	10	8	6	65	V	15.20
K-1211665-SM	12	11	6	65	V	18.65

Miniature Burs Set-10PCS							USD/each
Item Number	Dia.	CL	Shank	OAL	Brazed	Quantity	
A-314338-SM	3	14	3	38		1PCS	74.35
B-314338-SM	3	14	3	38		1PCS	
C-314338-SM	3	14	3	38		1PCS	
D-32.5338-SM	3	2.5	3	38		1PCS	
E-36338-SM	3	6	3	38		1PCS	
F-38338-SM	3	8	3	38		1PCS	
G-314338-SM	3	14	3	38		1PCS	
H-36338-SM	3	6	3	38		1PCS	
L-314338-8-SM	3	14	3	38		1PCS	
M-315338-14-SM	3	15	3	38		1PCS	

Miniature Burs Set-20PCS							USD/each
Item Number	Dia.	CL	Shank	OAL	Brazed	Quantity	
A-314338-SM	3	14	3	38		2PCE	148.45
B-314338-SM	3	14	3	38		2PCE	
C-314338-SM	3	14	3	38		2PCE	
D-32.5338-SM	3	2.5	3	38		2PCE	
E-36338-SM	3	6	3	38		2PCE	
F-38338-SM	3	14	3	38		2PCE	
G-314338-SM	3	14	3	38		2PCE	
H-36338-SM	3	6	3	38		2PCE	
L-314338-8-SM	3	14	3	38		2PCE	
M-315338-14-SM	3	15	3	38		2PCE	

Miniature Burs Set-30PCS							USD/each
Item Number	Dia.	CL	Shank	OAL	Brazed	Quantity	
A-314338-SM	3	14	3	38		3PCE	222.60
B-314338-SM	3	14	3	38		3PCE	
C-314338-SM	3	14	3	38		3PCE	
D-32.5338-SM	3	2.5	3	38		3PCE	
E-36338-SM	3	6	3	38		3PCE	
F-38338-SM	3	14	3	38		3PCE	
G-314338-SM	3	14	3	38		3PCE	
H-36338-SM	3	6	3	38		3PCE	
L-314338-8-SM	3	14	3	38		3PCE	
M-315338-14-SM	3	15	3	38		3PCE	

Miniature Burs Set-30PCS							USD/each
Item Number	Dia.	CL	Shank	OAL	Brazed	Quantity	
A-314338-SM	3	14	3	38		5PCE	370.90
B-314338-SM	3	14	3	38		5PCE	
C-314338-SM	3	14	3	38		5PCE	
D-32.5338-SM	3	2.5	3	38		5PCE	
E-36338-SM	3	6	3	38		5PCE	
F-38338-SM	3	14	3	38		5PCE	
G-314338-SM	3	14	3	38		5PCE	
H-36338-SM	3	6	3	38		5PCE	
L-314338-8-SM	3	14	3	38		5PCE	
M-315338-14-SM	3	15	3	38		5PCE	

Burs Set-Burs Set-CR-5PCE							
Item Number	Dia.	CL	Shank	OAL	Brazed	Quantity	USD/each
B-1020665-CR	10	20	6	65	V	1PCS	110.20
C-1020665-CR	10	20	6	65	V	1PCS	
F-1020665-CR	10	20	6	65	V	1PCS	
G-1020665-CR	10	20	6	65	V	1PCS	
L-1020665-14-CR	10	20	6	65	V	1PCS	

Burs Set-Burs Set-CR-5PCE							
Item Number	Dia.	CL	Shank	OAL	Brazed	Quantity	USD/each
B-1020665-CR	10	20	6	65	V	1PCS	102.45
C-1020665-CR	10	20	6	65	V	1PCS	
D-108665-CR	10	8	6	65	V	1PCS	
F-1020665-CR	10	20	6	65	V	1PCS	
G-1020665-CR	10	20	6	65	V	1PCS	

Burs Set-Burs Set-CR-5PCE							
Item Number	Dia.	CL	Shank	OAL	Brazed	Quantity	USD/each
B-1225670-CR	12	25	6	70	V	1PCS	149.00
C-1225670-CR	12	25	6	70	V	1PCS	
F-1225670-CR	12	25	6	70	V	1PCS	
G-1225670-CR	12	25	6	70	V	1PCS	
L-1232677-14-CR	12	32	6	77	V	1PCS	

Burs Set-Burs Set-SR-5PCE							
Item Number	Dia.	CL	Shank	OAL	Brazed	Quantity	USD/each
B-1020665-SR	10	20	6	65	V	1PCS	102.45
C-1020665-SR	10	20	6	65	V	1PCS	
F-1020665-SR	10	20	6	65	V	1PCS	
G-1020665-SR	10	20	6	65	V	1PCS	
D-108665-SR	10	8	6	65	V	1PCS	

Burs Set-Burs Set-CR-10PCE							
Item Number	Dia.	CL	Shank	OAL	Brazed	Quantity	USD/each
B-1020665-CR	10	20	6	65	V	1PCS	259.15
C-1020665-CR	10	20	6	65	V	1PCS	
F-1020665-CR	10	20	6	65	V	1PCS	
G-1020665-CR	10	20	6	65	V	1PCS	
L-1020665-14-CR	10	20	6	65	V	1PCS	
B-1225670-CR	12	25	6	70	V	1PCS	
C-1225670-CR	12	25	6	70	V	1PCS	
F-1225670-CR	12	25	6	70	V	1PCS	
G-1225670-CR	12	25	6	70	V	1PCS	
L-1232677-14-CR	12	32	6	77	V	1PCS	

Burs Set-Burs Set-CR-10PCE							
Item Number	Dia.	CL	Shank	OAL	Brazed	Quantity	USD/each
A-1225670-CR	12	25	6	70	V	1PCS	282.80
B-1225670-CR	12	25	6	70	V	1PCS	
C-1225670-CR	12	25	6	70	V	1PCS	
D-1211670-CR	12	11	6	70	V	1PCS	
E-1222670-CR	12	22	6	70	V	1PCS	
F-1225670-CR	12	25	6	70	V	1PCS	
G-1225670-CR	12	25	6	70	V	1PCS	
H-1232677-CR	12	32	6	77	V	1PCS	
L-1232677-14-CR	12	32	6	77	V	1PCS	
M-1225670-28-CR	12	25	6	70	V	1PCS	

Burs Set-Burs Set-SR-10PCE							
Item Number	Dia.	CL	Shank	OAL	Brazed	Quantity	USD/each
B-1020665-SR	10	20	6	65	V	1PCS	259.15
C-1020665-SR	10	20	6	65	V	1PCS	
F-1020665-SR	10	20	6	65	V	1PCS	
G-1020665-SR	10	20	6	65	V	1PCS	
L-1020665-14-SR	10	20	6	65	V	1PCS	
B-1225670-SR	12	25	6	70	V	1PCS	
C-1225670-SR	12	25	6	70	V	1PCS	
F-1225670-SR	12	25	6	70	V	1PCS	
G-1225670-SR	12	25	6	70	V	1PCS	
L-1232677-14-SR	12	32	6	77	V	1PCS	

Burs Set-Burs Set-SR-10PCE							
Item Number	Dia.	CL	Shank	OAL	Brazed	Quantity	USD/each
A-1225670-SR	12	25	6	70	V	1PCS	282.80
B-1225670-SR	12	25	6	70	V	1PCS	
C-1225670-SR	12	25	6	70	V	1PCS	
D-1211670-SR	12	11	6	70	V	1PCS	
E-1222670-SR	12	22	6	70	V	1PCS	
F-1225670-SR	12	25	6	70	V	1PCS	
G-1225670-SR	12	25	6	70	V	1PCS	
H-1232677-SR	12	32	6	77	V	1PCS	
L-1232677-14-SR	12	32	6	77	V	1PCS	
M-1225670-14-SR	12	25	6	70	V	1PCS	

Burs Set-Burs Set-CR-40PCE							USD/each
Item Number	Dia.	CL	Shank	OAL	Brazed	Quantity	
B-618650-CR	6	18	6	50		2PCS	823.10
B-820665-CR	8	20	6	65	V	2PCS	
B-1020665-CR	10	20	6	65	V	2PCS	
B-1225670-CR	12	25	6	70	V	2PCS	
C-618650-CR	6	18	6	50		2PCS	
C-820665-CR	8	20	6	65	V	2PCS	
C-1020665-CR	10	20	6	65	V	2PCS	
C-1225670-CR	12	25	6	70	V	2PCS	
F-618650-CR	6	18	6	50		2PCS	
F-820665-CR	8	20	6	65	V	2PCS	
F-1020665-CR	10	20	6	65	V	2PCS	
F-1225670-CR	12	25	6	70	V	2PCS	
G-618650-CR	6	18	6	50		2PCS	
G-820665-CR	8	20	6	65	V	2PCS	
G-1020665-CR	10	20	6	65	V	2PCS	
G-1225670-CR	12	25	6	70	V	2PCS	
L-618650-14-CR	6	18	6	50		2PCS	
L-825670-14-CR	8	25	6	70	V	2PCS	
L-1020665-14-CR	10	20	6	65	V	2PCS	
L-1232677-14-CR	12	32	6	77	V	2PCS	

Burs Set-Burs Set-CR-64PCE							USD/each
Item Number	Dia.	CL	Shank	OAL	Brazed	Quantity	
A-618650-CR	6	18	6	50		2PCS	1302.80
A-820665-CR	8	20	6	65	V	2PCS	
A-1020665-CR	10	20	6	65	V	2PCS	
A-1225670-CR	12	25	6	70	V	2PCS	
B-618650-CR	6	18	6	50		2PCS	
B-820665-CR	8	20	6	65	V	2PCS	
B-1020665-CR	10	20	6	65	V	2PCS	
B-1225670-CR	12	25	6	70	V	2PCS	
C-618650-CR	6	18	6	50		2PCS	
C-820665-CR	8	20	6	65	V	2PCS	
C-1020665-CR	10	20	6	65	V	2PCS	
C-1225670-CR	12	25	6	70	V	2PCS	
E-610650-CR	6	10	6	50		2PCS	
E-815665-CR	8	15	6	65	V	2PCS	
E-1016665-CR	10	16	6	65	V	2PCS	
E-1222670-CR	12	22	6	70	V	2PCS	
F-618650-CR	6	18	6	50		2PCS	
F-820665-CR	8	20	6	65	V	2PCS	
F-1020665-CR	10	20	6	65	V	2PCS	
F-1225670-CR	12	25	6	70	V	2PCS	
G-618650-CR	6	18	6	50		2PCS	
G-820665-CR	8	20	6	65	V	2PCS	
G-1020665-CR	10	20	6	65	V	2PCS	
G-1225670-CR	12	25	6	70	V	2PCS	
H-614650-CR	6	14	6	50		2PCS	
H-820665-CR	8	20	6	65	V	2PCS	
H-1020665-CR	10	20	6	65	V	2PCS	
H-1232677-CR	12	32	6	77	V	2PCS	
L-618650-14-CR	6	18	6	50		2PCS	
L-825670-14-CR	8	25	6	70	V	2PCS	
L-1020665-14-CR	10	20	6	65	V	2PCS	
L-1232677-14-CR	12	32	6	77	V	2PCS	